Biopolymers

Author Index to Volume 54

Abeysekera, R. M. See Atkin, N., 195

Aita, T.

—; Uchiyama, H.; Inaoka, T.; Nakajima, M.; Kokubo, T.; Husimi, Y.: Analysis of a Local Fitness Landscape with a Model of the Rough Mt. Fuji-Type Landscape: Application to Prolyl Endopeptidase and Thermolysin, 64

Albrizio, S.

—; D'Ursi, A.; Fattorusso, C.; Galoppini, C.; Greco, G.; Mazzoni, M. R.; Novellino, E.; Rovero, P.: Conformational Studies on a Synthetic C-Terminal Fragment of the α Subunit of G_S Proteins, 186

Alexopoulos, C.

—; Tsikaris, V.; Rizou, C.; Sakarellos-Daitsiotis, M.; Sakarellos, C.; Cung, M. T.; Marraud, M.; Vlachoyiannopoulos, P. G.; Moutsopoulos, H. M.: The Position of the $LysN^{\varepsilon}H_2$-Grafted Antigens Along the Sequential Oligopeptide Carrier, Ac-(Aib-Lys-Aib-Gly)$_n$ (SOC_n-II), Influences the Antibody Recognition: Application to the Sm Main Autoimmune Epitope, 1

Alonso, M. See Rodríguez-Cabello, J. C., 282

Alsina, M. A. See Sospedra, P., 477

Ando, I. See Nakano, J., 81

Atkin, N.

—; Abeysekera, R. M.; Kronestedt-Robards, E. C.; Robards, A. W.: Direct Visualization of Changes in Deacylated Na^+ Gellan Polymer Morphology During the Sol–Gel Transition, 195

Augé, S.

—; Bersch, B.; Tropis, M.; Milon, A.: Characterization of Substance P–Membrane Interaction by Transferred Nuclear Overhauser Effect, 297

Balaji Rao, R. See Kaul, R., 159

Balaram, P. See Kaul, R., 159

Banumathi, S. See Kaul, R., 159

Baysal, C.

—; Meirovitch, H.: On the Transferability of Atomic Solvation Parameters: Ab initio Structural Prediction of Cyclic Heptapeptides in DMSO, 416

Behar, V. See Schievano, E., 429

Behrendt, R. See Renner, C., 489, 501

Bersch, B. See Augé, S., 297

Bloomfield, V. A.

—; Static and Dynamic Light Scattering from Aggregating Particles, 168

Bloomfield, V. A. See Schwinefus, J. J., 572

Bosco, M.

—; Miertus, S.; Dentini, M.; Segre, A. L.: The Structure of Gellan in Dilute Aqueous Solution, 115

Brightman, A. O.

—; Rajwa, B. P.; Sturgis, J. E.; McCallister, M. E.; Robinson, J. P.; Voytik-Harbin, S. L.: Time-Lapse Confocal Reflection Microscopy of Collagen Fibrillogenesis and Extracellular Matrix Assembly In Vitro, 222

Bush, C. A. See Martin-Pastor, M., 235

Calcagni, A.

—; Gavuzzo, E.; Lucente, G.; Mazza, F.; Morera, E.; Paradisi, M. P.; Rossi, D.: Peptides Containing the Sulfonamide Junction. 2. Structure and Conformation of Z–Tau–Pro–D–Phe–NHiPr, 379

Chobert, J.-M. See Vorob'ev, M. M., 355

Chorev, M. See Schievano, E., 429

Cramer, J. See Renner, C., 501

Cung, M. T. See Alexopoulos, C., 1

Dalgalarrondo, M. See Vorob'ev, M. M., 355

Decatur, S. M.

—; IR Spectroscopy of Isotope-Labeled Helical Peptides: Probing the Effect of N-Acetylation on Helix Stability, 180

Dentini, M. See Bosco, M., 115

Derouet, C. See Picard, C., 11

Dexheimer, J. See Oerther, S., 273

Doi, M.

—; Ishida, T.; Kobayashi, M.; Katsuya, Y.; Mezaki, Y.; Sasaki, M.; Terashima, A.; Taniguchi, T.; Tanaka, C.: Amphipathic Structure of Theonellapeptolide-Id, a Hydrophobic Tridecapeptide Lactone from the Okinawa Marine Sponge *Theonella swinhoei*, 27

du Penhoat, C. H. See Picard, C., 11
D'Ursi, A. See Albrizio, S., 186

Escudero, E.
—; Subirana, J. A.: Structure of a Cyclic Dimer of Amino Undecanoic Acid as a Model of Folding and Hydration in Polyamides, Polypeptides, and Related Substances, 365
Evans, J. S. See Zhang, B., 464

Fattorusso, C. See Albrizio, S., 186
Fausti, S. See La Penna, G., 89
Ferretti, J. A. See La Penna, G., 89
Fields, G. B. See Forns, P., 531
Forns, P.
—; Lauer-Fields, J. L.; Gao, S.; Fields, G. B.: Induction of Protein-Like Molecular Architecture by Monoalkyl Hydrocarbon Chains, 531
Fujimoto, B. S. See Schurr, J. M., 561

Galoppini, C. See Albrizio, S., 186
Gao, S. See Forns, P., 531
García, M. See Sospedra, P., 477
Gavuzzo, E. See Calcagni, A., 379
Gelfi, C. See Stellwagen, N. C., 137
Gilardi, R. See Ranganathan, D., 289
Giordano, M. See Ortolani, F., 448
Goodman, M.
—; Editorial to Volume 54, Number 4, 2000, v
Greco, G. See Albrizio, S., 186
Gruza, J. See Picard, C., 11
Guilbert, C.
—; Ricard, F.; Smith, J. C.: Dynamic Simulation of the Mouse Prion Protein, 406

Haertlé, T. See Vorob'ev, M. M., 355
Haro, I. See Sospedra, P., 477
Hayashi, Y.
—; Miura, N.; Shinyashiki, N.; Yagihara, S.; Mashimo, S.: Globule–Coil Transition of Denatured Globular Protein Investigated by a Microwave Dielectric Technique, 388
Heremans, K. See Rubens, P., 524
Herguedas, M. M. See Rodríguez-Cabello, J. C., 282
Higashimura, M.
—; Mulder-Bosman, B. W.; Reich, R.; Iwasaki, T.; Robijn, G. W.: Solution Properties of Viilian, the Exopolysaccharide from *Lactococcus lactis* subsp. *cremoris* SBT 0495, 143
Hiroki, A. See Ohyama, T., 375
Hsu, V. L. See Ivancic, M., 35
Hubert, P. See Oerther, S., 273
Husimi, Y. See Aita, T., 64

Imberty, A. See Picard, C., 11
Inaoka, T. See Aita, T., 64
Inui, T. See Katoh, E., 44
Ishida, T. See Doi, M., 27
Ito, A. S. See Turchiello, R. F., 211
Ivancic, M.
—; Hsu, V. L.: The Rotating Frame Nuclear Overhauser Effect Spectroscopy Experiment as an Aid to Determining Solution Structures of DNA Oligomers, 35
Iwasaki, T. See Higashimura, M., 143

Juliano, L. See Turchiello, R. F., 211

Kameda, T. See Nakano, J., 81
Kamikawaji, N. See Toh, H., 318
Karle, I. L. See Ranganathan, D., 249, 289
Katakai, R. See Ohyama, T., 375
Katoh, E.
—; Nishio, H.; Inui, T.; Nishiuchi, Y.; Kimura, T.; Sakakibara, S.; Yamazaki, T.: Structural Basis for the Biological Activity of Dendrotoxin-I, a Potent Potassium Channel Blocker, 44
Katsuya, Y. See Doi, M., 27
Kaul, R.
—; Banumathi, S.; Velmurugan, D.; Balaji Rao, R.; Balaram, P.: Conformational Choice at α,α-Di-*n*-Propylglycine Residues: Helical or Fully Extended Structures? 159
Keniry, M. A.
—; Owen, E. A.; Shafer, R. H.: The Three-Dimensional Structure of the 4:1 Mithramycin:d(ACCCGGGT)$_2$ Complex: Evidence for an Interaction Between the E Saccharides, 104
Kimura, T. See Katoh, E., 44
Klenin, K.
—; Langowski, J.: Computation of Writhe in Modeling of Supercoiled DNA, 307
Kobayashi, M. See Doi, M., 27
Koca, J. See Picard, C., 11
Kokubo, T. See Aita, T., 64
Kronestedt-Robards, E. C. See Atkin, N., 195
Kuhara, S. See Toh, H., 318
Kuroki, S. See Nakano, J., 81
Kurosu, H. See Nakano, J., 81
Kurur, S. See Ranganathan, D., 249, 289

Lai, L. See Liang, S., 515
Lakin, M. See Viëtor, R. J., 342
Lamy-Freund, M. T. See Turchiello, R. F., 211
Langowski, J. See Klenin, K., 307
La Penna, G.
—; Fausti, S.; Perico, A.; Ferretti, J. A.: Smoluchowski Dynamics of the vnd/NK-2 Homeodomain from *Drosophila melanogaster:* Second-Order Maximum Correlation Approximation, 89
Lapicque, F. See Oerther, S., 273
Lauer-Fields, J. L. See Forns, P., 531

Lefèvre, T.
—; Subirade, M.: Molecular Differences in the Formation and Structure of Fine-Stranded and Particulate β-Lactoglobulin Gels, 578
Liang, S.
—; Liu, Z.; Li, W.; Ni, L.; Lai, L.: Construction of Protein Binding Sites in Scaffold Structures, 515
Liu, Z. See Liang, S., 515
Li, W. See Liang, S., 515
Lucente, G. See Calcagni, A., 379

MacDougall, A. J. See Ryden, P., 398
Maekawa, Y. See Ohyama, T., 375
Mammi, S. See Schievano, E., 429
Marchini, M. See Ortolani, F., 448
Marraud, M. See Alexopoulos, C., 1
Martin-Pastor, M.
—; Bush, C. A.: Comparison of the Conformation and Dynamics of a Polysaccharide and of Its Isolated Heptasaccharide Repeating Unit on the Basis of Nuclear Overhauser Effect, Long-Range C–C and C–H Coupling Constants, and NMR Relaxation Data, 235
Mashimo, S. See Hayashi, Y., 388
Maurin, A.-C. See Oerther, S., 273
Mazeau, K. See Picard, C., 11; Viëtor, R. J., 342
Mazza, F. See Calcagni, A., 379
Mazzoni, M. R. See Albrizio, S., 186
McCallister, M. E. See Brightman, A. O., 222
Meirovitch, H. See Baysal, C., 416
Mestres, C. See Sospedra, P., 477
Mezaki, Y. See Doi, M., 27
Miertus, S. See Bosco, M., 115
Milon, A. See Augé, S., 297
Miura, N. See Hayashi, Y., 388
Morera, E. See Calcagni, A., 379
Moroder, L. See Renner, C., 489, 501
Moutsopoulos, H. M. See Alexopoulos, C., 1
Mulder-Bosman, B. W. See Higashimura, M., 143
Muñoz, M. See Sospedra, P., 477
Muroga, Y.
—; Applicability of Broken-Rodlike Chain Model to Conformational Analysis of Polypeptide Chain, 58
Muta, S. See Toh, H., 318

Nakajima, M. See Aita, T., 64
Nakano, J.
—; Kuroki, S.; Ando, I.; Kameda, T.; Kurosu, H.; Ozaki, T.; Shoji, A.: A Study of Conformational Stability of Polyglycine and Poly(L-Alanine), and Polyglycine/Poly(L-Alanine) Blends in the Solid State by ^{13}C Cross-Polarization/Magic Angle Spinning NMR, 81
Netter, P. See Oerther, S., 273
Ni, L. See Liang, S., 515
Nishio, H. See Katoh, E., 44
Nishiuchi, Y. See Katoh, E., 44
Norton, R. S. See Pallaghy, P. K., 173
Novellino, E. See Albrizio, S., 186

Oerther, S.
—; Maurin, A.-C.; Payan, E.; Hubert, P.; Lapicque, F.; Presle, N.; Dexheimer, J.; Netter, P.; Lapicque, F.: High Interaction Alginate—Hyaluronate Associations by Hyaluronate Deacetylation for the Preparation of Efficient Biomaterials, 273
Ohyama, T.
—; Oku, H.; Hiroki, A.; Maekawa, Y.; Yoshida, M.; Katakai, R.: The Crystal Structure for a Depsipeptide Boc–(Leu–Leu–Ala)$_2$–(Leu–Leu–Lac)$_3$–OEt with a 3_{10}-Helical Segment (Rapid Communication), 375
Oku, H. See Ohyama, T., 375
Ortolani, F.
—; Giordano, M.; Marchini, M.: A Model for Type II Collagen Fibrils: Distinctive D-Band Patterns in Native and Reconstituted Fibrils Compared with Sequence Data for Helix and Telopeptide Domains, 448
Owen, E. A. See Keniry, M. A., 104
Ozaki, T. See Nakano, J., 81

Pallaghy, P. K.
—; Norton, R. S.: The Cyclic Contryphan Motif CPxXPXC, a Robust Scaffold Potentially Useful as an ω-Conotoxin Mimic, 173
Palleschi, A. See Pispisa, B., 127
Paradisi, M. P. See Calcagni, A., 379
Payan, E. See Oerther, S., 273
Peggion, E. See Schievano, E., 429
Pérez, S. See Viëtor, R. J., 342
Pérez, T. See Rodríguez-Cabello, J. C., 282
Perico, A. See La Penna, G., 89
Picard, C.
—; Gruza, J.; Derouet, C.; Renard, C. M. G. C.; Mazeau, K.; Koca, J.; Imberty, A.; du Penhoat, C. H.: A Conformational Study of the Xyloglucan Oligomer, XXXG, by NMR Spectroscopy and Molecular Modeling, 11
Pispisa, B.
—; Stella, L.; Venanzi, M.; Palleschi, A.; Zanotti, G.: Peptide-Sandwiched Protoporphyrin Compounds Mimicking Hemoprotein Structures in Solution, 127
Presle, N. See Oerther, S., 273

Rajwa, B. P. See Brightman, A. O., 222

Ranganathan, D.
—; Kurur, S.; Karle, I. L.: Design, Synthesis, and Crystal Structure of Self-Assembling Norbornene (NBE)-Supported Two-Helix Bundles: A Unique Example of Janus Helicity in the Solid-State Structure of NBE(Aib_5)$_2$, 249
—; Kurur, S.; Gilardi, R.; Karle, I. L.: Design and Synthesis of AB_3-Type (A = 1,3,5-Benzenetricarbonyl Unit; B = Glu diOMe or Glu_7 Octa OMe) Peptide Dendrimers: Crystal Structure of the First Generation, 289
Reich, R. See Higashimura, M., 143
Renard, C. M. G. C. See Picard, C., 11
Renner, C.
—; Behrendt, R.; Spörlein, S.; Wachtveitl, J.; Moroder, L.: Photomodulation of Conformational States. I. Mono- and Bicyclic Peptides with (4-Amino)phenylazobenzoic Acid as Backbone Constituent, 489
—; Cramer, J.; Behrendt, R.; Moroder, L.: Photomodulation of Conformational States. II. Mono- and Bicyclic Peptides with (4-Aminomethyl)-phenylazobenzoic Acid as Backbone Constituent, 501
Ricard, F. See Guilbert, C., 406
Righetti, P. G. See Stellwagen, N. C., 137
Ring, S. G. See Ryden, P., 398
Rizou, C. See Alexopoulos, C., 1
Robards, A. W. See Atkin, N., 195
Robijn, G. W. See Higashimura, M., 143
Robinson, J. P. See Brightman, A. O., 222
Rodríguez-Cabello, J. C.
—; Alonso, M.; Pérez, T.; Herguedas, M. M.: Differential Scanning Calorimetry Study of the Hydrophobic Hydration of the Elastin-Based Polypentapeptide, Poly(VPGVG), from Deficiency to Excess of Water, 282
Romiszowski, P.
—; Sikorski, A.: The Effect of Sequence Patterns and Local Conformational Preferences on the Structure of Collapsed Polypeptide, 262
Rosenblatt, M. See Schievano, E., 429
Rossi, D. See Calcagni, A., 379
Rossmanith, P. See Schuck, P., 328
Rovero, P. See Albrizio, S., 186
Rubens, P.
—; Heremans, K.: Pressure–Temperature Gelatinization Phase Diagram of Starch: An In Situ Fourier Transform Infrared Study, 524
Ryden, P.
—; MacDougall, A. J.; Tibbits, C. W.; Ring, S. G.: Hydration of Pectic Polysaccharides, 398

Sakakibara, S. See Katoh, E., 44
Sakarellos, C. See Alexopoulos, C., 1
Sakarellos-Daitsiotis, M. See Alexopoulos, C., 1
Sasaki, M. See Doi, M., 27
Sasazuki, T. See Toh, H., 318
Savoie, C. J. See Toh, H., 318
Schievano, E.
—; Mammi, S.; Silvestri, L.; Behar, V.; Rosenblatt, M.; Chorev, M.; Peggion, E.: Conformational Studies of Parathyroid Hormone (PTH)/PTH-Related Protein (PTHrP) Chimeric Peptides, 429
Schuck, P.
—; Rossmanith, P.: Determination of the Sedimentation Coefficient Distribution by Least-Squares Boundary Modeling, 328
Schurr, J. M.
—; Fujimoto, B. S.: The Distribution of End-to-End Distances of the Weakly Bending Rod Model, 561
Schwinefus, J. J.
—; Bloomfield, V. A.: The Greater Negative Charge Density of DNA in Tris-Borate Buffers Does Not Enhance DNA Condensation by Multivalent Cations, 572
Segre, A. L. See Bosco, M., 115
Shafer, R. H. See Keniry, M. A., 104
Shinyashiki, N. See Hayashi, Y., 388
Shoji, A. See Nakano, J., 81
Sikorski, A. See Romiszowski, P., 262
Silvestri, L. See Schievano, E., 429
Smith, J. C. See Guilbert, C., 406
Sospedra, P.
—; Muñoz, M.; García, M.; Alsina, M. A.; Mestres, C.; Haro, I.: Effect of Chain Length of HAV-VP3 Synthetic Peptides on Its Interaction with Biomembrane Models, 477
Spörlein, S. See Renner, C., 489
Stella, L. See Pispisa, B., 127
Stellwagen, N. C.
—; Gelfi, C.; Righetti, P. G.: DNA and Buffers: The Hidden Danger of Complex Formation, 137
Sturgis, J. E. See Brightman, A. O., 222
Subirade, M. See Lefèvre, T., 578
Subirana, J. A. See Escudero, E., 365

Tanaka, C. See Doi, M., 27
Taniguchi, T. See Doi, M., 27
Terashima, A. See Doi, M., 27
Tibbits, C. W. See Ryden, P., 398
Toh, H.
—; Savoie, C. J.; Kamikawaji, N.; Muta, S.; Sasazuki, T.;

Kuhara, S.: Changes at the Floor of the Peptide-Binding Groove Induce a Strong Preference for Proline at Position 3 of the Bound Peptide: Molecular Dynamics Simulations of HLA-A*0217, 318

Tropis, M. See Augé, S., 297

Tsikaris, V. See Alexopoulos, C., 1

Turchiello, R. F.

—; Juliano, L.; Ito, A. S.; Lamy-Freund, M. T.: How Bradykinin Alters the Lipid Membrane Structure: A Spin Label Comparative Study with Bradykinin Fragments and Other Cations, 211

Uchiyama, H. See Aita, T., 64

Velmurugan, D. See Kaul, R., 159

Venanzi, M. See Pispisa, B., 127

Viëtor, R. J.

—; Mazeau, K.; Lakin, M.; Pérez, S.: A Priori Crystal Structure Prediction of Native Celluloses, 342

Vlachoyiannopoulos, P. G. See Alexopoulos, C., 1

Vorob'ev, M. M.

—; Dalgalarrondo, M.; Chobert, J.-M.; Haertlé, T.: Kinetics of β-Casein Hydrolysis by Wild-Type and Engineered Trypsin, 355

Voytik-Harbin, S. L. See Brightman, A. O., 222

Wachtveitl, J. See Renner, C., 489

Xu, G. See Zhang, B., 464

Yagihara, S. See Hayashi, Y., 388

Yamazaki, T. See Katoh, E., 44

Yoshida, M. See Ohyama, T., 375

Zacharias, M.

—; Comparison of Molecular Dynamics and Harmonic Mode Calculations on RNA, 547

Zanotti, G. See Pispisa, B., 127

Zhang, B.

—; Xu, G.; Evans, J. S.: Model Peptide Studies of Sequence Repeats Derived from the Intracrystalline Biomineralization Protein, SM50. II. Pro,Asn-Rich Tandem Repeats, 464

Biopolymers

Subject Index to Volume 54

A_{2a} adenosine receptor, 186
Ab initio structural prediction, 416
A-form DNA, 35
Agarose gels, 137
Aggregation, 168, 578
α-Helical conformation, 127
Alpha-helix, 531
Amide I mode, 180
(4-Aminomethyl)phenylazobenzoic acid, 501
(4-Amino)phenylazobenzoic acid, 489
Aminoundecanoic acid, 365
Amphiphilicity, 27
Antigenic peptides, 1
Atomic solvation parameters, 416
Azobenzene peptides, 489

Barnase–barstar, 515
1,3,5-Benzene tricarbonyl core, 289
β-Casein, 355
β-1,4-Glucopyranose chains, 342
β-Lactoglobulin, 578
β-Turn, 365
B-form DNA, 35
Bicyclic peptides, 489
Biomaterials, 273
Biomembrane models, 477
Biomineralization, 464
Bradykinin, 211
Bradykinin fragments, 211
Broken-rodlike chain model, 58
Brownian dynamics, 307

^{13}C CP/MAS nmr, 81
CD, 477
Chimeric peptides, 429
CICADA, 11
Class I major histocompatibility complex molecule, 318
Closed circular plasmid DNA, 572
Cobaltic hexammine (III), 572
Collagen fibril D-banding, 448
Collagen gel, 222
Collagen telopeptides, 448
Collapse transition, 262
Compatibility, 81
Confocal microscopy, 222
Conformation, 11, 81, 235, 379, 429
Conformation analysis, 489, 501
Conformational analysis, 58
Conformational flexibility, 406
Contour length, 561
Critical concentration, 572
Crystal structure, 379
Crystal structure prediction, 342
Crystals, 375
Cyclic amides, 365
Cyclic heptapeptides, 416
Cyclic peptide, 27, 173
Cyclic peptides, 501

Deacetylation, 273
Deacylated Na^+ gellan, 195
Denaturation, 578
Dendrotoxin, 44
Depsipeptide, 375
Dialkyl hydrocarbon chains, 531
Differential scanning calorimetry, 282
Diffusion, 168
Diffusion theory, 89
Dimyristoyl phosphatidylglycerol vesicle, 211
Dipropylglycine peptides, 159
Distance geometry, 297
DNA, 137
DNA capillary electrophoresis, 137
DNA condensation, 572
DNA gel electrophoresis, 137
DNA resonance assignments, 35
DNA–borate complexes, 137
Drug–DNA, 104
Dynamics, 235

Electroendosmotic flow, 137
Electronic energy transfer, 127
Electrophoretic free solution mobility, 572
End-to-end distances, 561
Engineered trypsin, 355
Enzymatic, 355
Ester bonds, 375
Exopolysaccharide, 143
Extended C_5 conformations, 159
Extracellular matrix, 222

Femtosecond spectroscopy, 489
Fibrillogenesis, 222
Fitness landscape, 64
Fluorescence, 477
Folded biomolecular structures, 531
Fourier transform infrared/spectroscopy, 578

$G\alpha_s$ protein, 186
Gel, 578
Gel–glass transition, 388
Gellan, 115
Globular protein mimics, 289
Glutamic acid, 289
Grafting, 515

Harmonic modes, 547
Helical charge density, 572
Helical peptides, 180
Helical proteins, 262
3_{10}-helix, 1
Helix capping, 180
Helix sense, 249
Helix–coil transition, 180
Helix–water interactions, 249
Helix-to-coil transition, 58
Hemoproteins model compounds, 127
Hepatitis A virus, 477
HLA–A2 complex, 318
Hydration, 398
Hydrogen bond, 375

Hydrolysis, 355
Hydrophobic hydration, 282

Imaging, 222
Infrared spectroscopy, 180
ir and CD spectra, 127
ir Spectroscopy, 524
Isotope labeling, 180

Junction zones, 195

Kinetics, 355

Lactococcus lactis subsp. *cremoris* SBT 0495, 143
Ladder assembly, 249
Large-batch fermentation, 143
Lattice models, 262
Linking number, 307
Lipid bilayer, 297
Loop fluctuation, 406

Mechanical properties, 273
Micelles, 429
Mimic, 173
Mithramycin, 104
Mixed helicity, 249
MM3, 11
Molar mass distribution, 328
Molecular architecture, 531
Molecular dynamics, 89, 307, 406, 547
Molecular mechanics, 11
Molecular mechanics calculations, 127
Molecular model for biological activity, 44
Molecular modeling, 127, 186
Molecular structure, 342
Molecular weight determination, 168
Monoalkyl hydrocarbon chains, 531
Monolayers, 477
Monte Carlo, 307
Monte Carlo method, 262
Mutational additivity, 64

N-acetylation, 180
Native cellulose microfibrils, 342
Nitrogen pyramidalization, 379
nmr, 11, 115, 173, 186, 406, 464
nmr of peptides, 159
nmr spectroscopy, 44
nmr Spectroscopy, 489, 501
NMR spectroscopy, 235
Normal modes, 547
N-type calcium channel, 173
Nuclear magnetic resonance, 429
Nuclear Overhauser effect spectroscopy, 11
Nucleic acid dynamics, 547
Nylon 11, 365

Oligonucleotide, 104
Oligosaccharide, 11, 235
ω-conotoxin GVIA, 173

Packing, 342
Parathyroid hormone, 429
Parathyroid hormone related protein, 429
Particle size-distribution, 328
Pectic polysaccharides, 398
Peptide binding motif, 318
Peptide chain motion, 388
Peptide conformation, 159
Peptide crystal structure, 159
Peptide dendrimer, 289
Peptide–lipid interaction, 211
Peptide-amphiphiles, 531
Peptide-sandwiched porphyrin compounds, 127
Peptido-mimetic compounds, 365
Persistence length, 561
Photoisomerization, 489, 501
π–π stacks, 289
Polyamides, 365
Polyelectrolyte effect, 398
Polyglycine, 81
Poly(L-alanine), 81
Polymer association, 273
Polymer blend, 81
Polymer folding, 365
Polymerization, 168
Polypentapeptide of elastin, 282
Polypeptide, 58, 81
Polypeptides, 365
Polysaccharide, 235
Potassium channel, 44
Potassium channel blocker, 44
Pressure–temperature phase diagram, 524
Prion diseases, 406
Prion protein, 406
Proline repeats, 464
Prolyl endopeptidase, 64
Protein design, 515
Protein folding, 282
Protein hydration, 365
Protein sequence space, 64
Protein structure, 44, 282
Protein–protein interaction, 515
Pseudopeptides, 379

Random coil, 58
Reflection, 222
Regularization, 328
Rheological measurements, 273
RNA flexibility, 547
Rotating frame nuclear Overhauser effect spectroscopy experiment, 35

Scaffold, 249
Sea urchin embryo, 464
Sea urchine spicule, 464
SEC-MALLS, 143
Secondary anchor residue, 318
Sedimentation coefficient, 328
Self-assembly, 222, 464
Sequential oligopeptide carrier, 1
Short linear peptides, 127
Signal transduction, 186
Sm antigen, 1
SOC_n, 1
Sodium alginate, 273
Sodium hyaluronate, 273
Sol–gel transition, 195
Solution properties, 143
Spin diffusion, 35
Spin label, 211
Starch gelatinization, 524
Statistical mechanics, 416
Steady-state fluorescence, 127
Structure, 115, 173
Submucosa, 222
Sugar pucker, 35
Sulfonamides, 379
Sulfonamido-peptides, 379
Swelling, 398
Synthetic peptides, 477

Tachykinins, 297
Taurine, 379
Theonellapeptolide, 27
Thermolysin, 64
Three-dimensional, 222

Time domain reflectometry, 388
Time lapse, 222
Time-resolved fluorescence, 127
Transferability, 416
Transferred nuclear Overhauser enhancement, 297
Transmission electron microscopy, 195
Tridecapeptide lactone, 27
Tris-acetate-EDTA buffers, 572
Tris-borate-EDTA buffers, 572
Twist, 307
Two-dimensional nmr, 104
Type II collagen, 448

Unfolding of globular protein, 388

Viilian, 143
vnd/NK-2 homeodomain, 89

Water structure, 365, 388
Weakly bending rod model, 561
Wild-type trypsin, 355
Wormlike chain, 561

X-ray structure, 27
XXXG, 11
Xyloglucan, 11

Z-form DNA, 35